LNumber	Hits	Search Text	DB	Time stamp
1	2	3893761.pn. or 4489122.pn.	USPAT;	2004/07/12 13:06
2	0	(3893761.pn. or 4489122.pn.) and (extrusion or mold\$3 or mould\$3)	US-PGPUB USPAT; US-PGPUB	2004/07/12 14:26
3	4005	427/458,466,475,476,485.ccls. or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or 101/487.ccls.	USPAT; US-PGPUB	2004/07/12 14:14
4	1440	(427/458,466,475,476,485.ccls. or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or 101/487.ccls.) and (extrusion or mold\$3 or mould\$3)	USPAT; US-PGPUB	2004/07/12 14:28
6	131	((427/458,466,475,476,485.ccls. or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or 101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or electrophotographic\$4) same toner	USPAT; US-PGPUB	2004/07/12 14:06
7	0	(((427/458,466,475,476,485.ccls. or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or 101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or electrophotographic\$4) and toner) and latent adj heat	USPAT; US-PGPUB	2004/07/12 13:11
5	142	((427/458,466,475,476,485.ccls. or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or 101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or electrographic\$4 or electrostatic\$4 or	USPAT; US-PGPUB	2004/07/12 13:12
8	2697	electrostatographic\$4 or electrophotographic\$4) and toner 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls.	USPAT; US-PGPUB	2004/07/12 13:32
9	1189	( 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls.) and (extrusion or mold\$3 or mould\$3)	USPAT; US-PGPUB	2004/07/12 13:33
10	1060	((264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls.) and (extrusion or mold\$3 or mould\$3)) not (((427/458,466,475,476,485.ccls. or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or	USPAT; US-PGPUB	2004/07/12 13:33
		101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or		
11	1060	electrophotographic\$4) and toner) ((( 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls.) and (extrusion or mold\$3 or mould\$3)) not (((427/458,466,475,476,485.ccls. or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or 101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or	USPAT; US-PGPUB	2004/07/12 13:33
12	1	electrophotographic\$4) and toner)) not fuser adj roll\$2 (((( 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls.) and (extrusion or mold\$3 or mould\$3)) not (((427/458,466,475,476,485.ccls. or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or 101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or	USPAT; US-PGPUB	2004/07/12 13:40
12	1	electrophotographic\$4) and toner)) not fuser adj roll\$2) and toner	LICDAT	2004/07/12 12:27
13 14	130	"2022587".PN. (( 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls.) and (extrusion or mold\$3 or mould\$3)) and toner	USPAT USPAT; US-PGPUB	2004/07/12 13:37 2004/07/12 13:40
15	245	(((( 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls.) and (extrusion or mold\$3 or mould\$3)) not (((427/458,466,475,476,485.ccls. or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or	USPAT; US-PGPUB	2004/07/12 13:41
16	189	or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or 101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or electrophotographic\$4) and toner)) not fuser adj roll\$2) and thermoplastic same (mold\$3 or mould\$3) ((((( 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls.) and	USPAT;	2004/07/12 14:08
	- 92	(extrusion or mold\$3 or mould\$3)) not (((427/458,466,475,476,485.ccls. or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or 101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or electrophotographic\$4) and toner)) not fuser adj roll\$2) and thermoplastic same (mold\$3 or mould\$3)) and (quench\$3 or harden\$3 or bond\$3 or fus\$3 or soften\$3)	US-PGPUB	•

17	189	(((((( 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls.) and	USPAT;	2004/07/12 13:51
		(extrusion or mold\$3 or mould\$3)) not (((427/458,466,475,476,485.ccls.	US-PGPUB	
		or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or		
	,	101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or		
		electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or electrophotographic\$4) and toner)) not fuser adj roll\$2) and		
		thermoplastic same (mold\$3 or mould\$3)) and (quench\$3 or harden\$3		
		or bond\$3 or fus\$3 or soften\$3 )) not (((427/458,466,475,476,485.ccls.		
		or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or		
		101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or		
		electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or		
		electrophotographic\$4) same toner)		
18	86	((((((((((((((((((((((((((((((((((((	USPAT;	2004/07/12 14:06
		(extrusion or mold\$3 or mould\$3)) not (((427/458,466,475,476,485.ccls.	US-PGPUB	
		or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or		
		101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or		
		electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or		
		electrophotographic\$4) and toner)) not fuser adj roll\$2) and thermoplastic same (mold\$3 or mould\$3)) and (quench\$3 or harden\$3		
		or bond\$3 or fus\$3 or soften\$3 )) not (((427/458,466,475,476,485.ccls.		
		or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or		
		101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or		
		electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or		
		electrophotographic\$4) same toner)) and (print\$3 or electrographic\$4 or		
		electrostatic\$4 or electrostatographic\$4 or electrophotographic\$4)		
19	8	("2811744"   "3968309"   "4360329"   "4587155"   "4898706"	USPAT	2004/07/12 13:54
		"4931248"   "5707581"   "5925302").PN.		
20	0	(("2811744"   "3968309"   "4360329"   "4587155"   "4898706"	USPAT;	2004/07/12 14:06
		"4931248"   "5707581"   "5925302").PN.) and toner	US-PGPUB	2004/07/12 14:06
21	0	(((((((((264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls.) and	USPAT;	2004/07/12 14:06
		(extrusion or mold\$3 or mould\$3)) not (((427/458,466,475,476,485.ccls.	US-PGPUB	
		or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or 101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or		
		electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or		
		electrophotographic\$4) and toner)) not fuser adj roll\$2) and		
		thermoplastic same (mold\$3 or mould\$3)) and (quench\$3 or harden\$3		
		or bond\$3 or fus\$3 or soften\$3 )) not (((427/458,466,475,476,485.ccls.		
		or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or		
		101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or		
		electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or		
		electrophotographic\$4) same toner)) and (print\$3 or electrographic\$4 or		
		electrostatic\$4 or electrostatographic\$4 or electrophotographic\$4)) and	-	
20	0052	toner	USPAT;	2004/07/12 14:14
22	9052	(print\$3 or electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or electrophotographic\$4) same toner and (mold\$3 or mould\$3 or	US-PGPUB	2004/07/12 14.14
		extru\$4)	00-1 01 00	
23	9052	(print\$3 or electrographic\$4 or electrostatic\$4 or electrostatographic\$4	USPAT;	2004/07/12 14:07
23	7032	or electrophotographic\$4) same toner and (mold\$3 or mould\$3 or	US-PGPUB	
		extru\$4)		
24	1427	(print\$3 or electrographic\$4 or electrostatic\$4 or electrostatographic\$4	ЕРО; ЛРО;	2004/07/12 14:09
		or electrophotographic\$4) same toner and (mold\$3 or mould\$3 or	DERWENT	
		extru\$4)		
25	0	((print\$3 or electrographic\$4 or electrostatic\$4 or electrostatographic\$4	ЕРО; ЈРО;	2004/07/12 14:08
		or electrophotographic\$4) same toner and (mold\$3 or mould\$3 or	DERWENT	
_		extru\$4)) and latent adj heat		***************************************
26	0		EPO; JPO;	2004/07/12 14:08
		electrostatographic\$4 or electrophotographic\$4) same toner and (mold\$3	DERWENT	
		or mould\$3 or extru\$4)) and latent adj heat) and (quench\$3 or harden\$3		
17	96	or bond\$3 or fus\$3 or soften\$3 ) ( (print\$3 or electrographic\$4 or electrostatic\$4 or electrostatographic\$4	ЕРО; ЈРО;	2004/07/12 14:10
27	90	or electrophotographic\$4) same toner and (mold\$3 or mould\$3 or	DERWENT	2004/07/12 14.10
		extru\$4)) and thermoplastic		
28	1062	430/97-99,106.6,109.ccls. or 101/487.ccls.	USPAT;	2004/07/12 14:14
		1	US-PGPUB	i .

29	149	(print\$3 or electrographic\$4 or electrostatic\$4 or electrostatographic\$4	USPAT;	2004/07/12 14:14
2,		or electrophotographic\$4) and toner and (mold\$3 or mould\$3 or	US-PGPUB	,
		extru\$4) and (430/97-99,106.6,109.ccls. or 101/487.ccls.)		
30	40	((print\$3 or electrographic\$4 or electrostatic\$4 or electrostatographic\$4	USPAT;	2004/07/12 14:25
		or electrophotographic\$4) and toner and (mold\$3 or mould\$3 or	US-PGPUB	
		extru\$4) and (430/97-99,106.6,109.ccls. or 101/487.ccls.)) not		
		(((427/458,466,475,476,485.ccls. or 264/132,134,135,336.ccls. or		
		430/97-99,106.6,109.ccls. or 101/487.ccls.) and (extrusion or mold\$3 or		
		mould\$3)) and (print\$3 or electrographic\$4 or electrostatic\$4 or		
		electrostatographic\$4 or electrophotographic\$4) same toner) not (((((((		
		264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls.) and (extrusion		
		or mold\$3 or mould\$3)) not (((427/458,466,475,476,485.ccls. or		
		264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or		
		101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or		
		electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or electrophotographic\$4) and toner)) not fuser adj roll\$2) and		
		thermoplastic same (mold\$3 or mould\$3)) and (quench\$3 or harden\$3		
		or bond\$3 or fus\$3 or soften\$3 )) not (((427/458,466,475,476,485.ccls.		
		or 264/132,134,135,336.ccls. or 430/97-99,106.6,109.ccls. or		
		101/487.ccls.) and (extrusion or mold\$3 or mould\$3)) and (print\$3 or		
		electrographic\$4 or electrostatic\$4 or electrostatographic\$4 or		
		electrophotographic\$4) same toner)) and (print\$3 or electrographic\$4 or		
		electrostatic\$4 or electrostatographic\$4 or electrophotographic\$4))		
31	44	zimmer-michael.IN. or Schultheis-bernd.IN.	USPAT;	2004/07/12 14:28
			US-PGPUB	
32	22	(zimmer-michael.IN. or Schultheis-bernd.IN.) and (extrusion or mold\$3	USPAT;	2004/07/12 14:26
		or mould\$3)	US-PGPUB	
33	75	zimmer-michael.IN. or Schultheis-bernd.IN.	EPO; JPO;	2004/07/12 14:28
			DERWENT	
34	11	(zimmer-michael.IN. or Schultheis-bernd.IN.) and (extrusion or mold\$3	EPO; JPO;	2004/07/12 14:29
25	1	or mould\$3)	DERWENT	2004/07/12 14:22
35	1	((zimmer-michael.IN. or Schultheis-bernd.IN.) and (extrusion or mold\$3	EPO; JPO;	2004/07/12 14:29
26	10	or mould\$3)) and toner	DERWENT	2004/07/12 14:30
36	13	(zimmer-michael.IN. or Schultheis-bernd.IN.) and toner	EPO; JPO;	2004/07/12 14:30
30	13	(Zimmer-inichael.in), or Schultners-bernd.in), and toner	DERWENT	2004/07/12 14